REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Service Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO N	Ject to any penalty for I	ailing to comply with a JUR FORM TO	a collection of information if it does THE ABOVE ORGANIZA	not display a current	ly valid OMB c	control number.		
1. REPORT D	ATE (DD-MM-YY		PORT TYPE	110.1.		3. DATES COVERED (From - To)		
	0/20/2017	·	Poster	<i>:</i>		10/20/2017-10/24/2017		
4. TITLE AND					5a. COI	NTRACT NUMBER		
Tracheal invasion by Thyroid nodule in Thyroidectomy								
					5b. GRANT NUMBER			
					<u></u>			
					5C. PKC	OGRAM ELEMENT NUMBER		
6. AUTHOR(S					5d. PROJECT NUMBER			
Capt Scott Tonder								
					5e. TASK NUMBER			
						oo. Montholisely		
					5f. WORK UNIT NUMBER			
			AND ADDRESS(ES)			8. PERFORMING ORGANIZATION		
	Research Division				,	REPORT NUMBER		
	Hall Loop, Bldg				!			
	nd, TX 78236-990)8			' '	17439		
210-292-7141					-			
			ME(S) AND ADDRESS(ES	3)	,	10. SPONSOR/MONITOR'S ACRONYM(S)		
	Research Division				İ			
	Hall Loop, Bldg ad TX 78236-990				1	44 CROSSOD MACANITORIO DEPORT		
JBSA-Lackland, TX 78236-9908 210-292-7141					1	11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
210 272 71					,			
12. DISTRIBUT	TION/AVAILABIL	ITYSTATEMEN	IT			<u> </u>		
	public release. Di		= =					
* =								
				•				
	ENTARY NOTES							
American Soci	ety of Anesthesia	ologists Annual	Meeting 2017 (ASA), Bo	ston MA 20-24	Oct 2017			
**********				·				
14. ABSTRACT	r							
15. SUBJECT T	rerms				****			
45075407						IE OF RESPONSIBLE PERSON		
a. REPORT	b. ABSTRACT	c. THIS PAGE	ABSTRACT	OF PAGES		Longoria		
!	!			1	19b. TELF	EPHONE NUMBER (Include area code)		
	1	1		,	1	210-292-7141		



Tracheal invasion by Thyroid nodule in Thyroidectomy

Scott Tonder, M.D., Torijuan Dallas, M.D.

San Antonio Uniformed Services Health Education Consortium Anesthesiology Program



Case Presentation:

46yo female ASA 2 presented for total thyroidectomy and neck dissection secondary to papillary thyroid carcinoma. After uneventful induction and intubation, surgical dissection revealed invasion of a thyroid nodule into the anterior branch of the recurrent laryngeal nerve as well as invasion through the first tracheal ring. The tracheal defect was fixed with a strap muscle flap and surgery concluded uneventfully. Following deep extubation, an air leak at the surgical site was noted. The patient was reintubated, the incision was re-opened and the tracheal flap was revised to prevent tracheal leaking.



Discussion:

From the very beginning of ether anesthesia when Dr. William Morton anesthetized a patient undergoing resection of a vascular tumor from the patient's neck, the practice of anesthesia has been intricately involved with head and neck surgery. These procedures require particular attention to airway management during intubation and extubation. Difficult intubation complicates 7-9 precent of H&N cases, 2-4 times higher than mixed surgical populations. Factors predicting difficult intubation in H&N surgery include history of radiation, abnormal neck anatomy and airway masses. Additionally, a history of radiation potentially complicates a surgical approach to the difficult airway.

This case demonstrated a unique and unexpected complication during extubation. Other examples of extubation complications include patient related issues (subglottic stenosis or edema) causing physical obstruction to removal of the ETT, surgical related issues (unintentionally suturing to ETT, and anesthesia related issues (incomplete deflation of ETT cuff).

Differential Diagnosis for Thyroid Cancer

- Papillary Carcinoma- most common (80%); slow growing, differentiated, develops from follicular cells, lymph node spread. Can involve

multiple lobes, good prognosis

Follicular Carcinoma- 2nd most common

- (10%): inadequate dietary intake of iodine. More aggressive, more metastasis
- More aggressive, more metastasis
 Medullary Thryoid Carcinoma- (4%)
 C Cells (calcitonin), more aggressive, less
 differentiated. More likely to spread
- Anaplastic Carcinoma- (4%): Undifferentiated, rapid spread. Median survival 3-7 months

Post Thyroidectomy Complications

- * Hemorrhage/Hematoma

 * Recurrent Laryngeal Nerve injury
- * Respiratory Obstruction
- * Bilateral RLN vs hematoma
- * Respiratory Obstruction
- * Hypocalcemia
- * Infection
- * Thyroid/Parathyroid insufficiency

Disclaimer: The views expressed herein are those

Anesthetic Management:

In any case involving head and neck tumors, detailed knowledge to include imaging of the tumor is important for assessing a potential difficult airway preoperatively. Depending on the clinical circumstances and size of the mass, DL and intubation may be unsuccessful. Management of the airway should continue according to the ASA Difficult Airway Algorithm while additional resources are acquired for repeat intubation attempts. The presence of potential airway obstruction should be discussed with the surgical providers and, if applicable, preparation made for surgical airway.

Following completion of the case, there should be careful consideration regarding the criteria for extubation, starting with the decision for an awake extubation versus extubation before return of consciousness. ASA guidelines also recommend possible placement of a short-term conduit or bougie to aid reintubation, if necessary. Identification of the airway leak was obvious in this case. In other less obvious cases, close communication with the surgical team may be necessary to quickly identify and treat an airway issue on extubation.

References

Apfelbaum, J. et. al. (2013). "Practice Guidelines for Management of the Difficult Aravay, An Updated Report bythe American Society of Anesthesiologists Task Force on Management of the Difficult Anasy," "Amethodology, 118(2), 1-20.

Cavallone, L and Vannucci, A (2013). "Extubation of the Difficult Airway and Extubation Failure." Anothesis & Analgesis, 116(2), 368-383.

 $\label{eq:markel} {\it Markel}. \ H. \ \ (2013, October 16). \ \textit{The Painful Story Behind Modern Anesthesia}. \ {\it Retrieved from http://www.pbs.org/newshour/}$

re those of the authors and do not reflect the official policy or position of San Antonio Military Medical Center, the US Air Force, the US Army, the minent